The Aeronautical Journal of the Royal Aeronautical Society

INCORPORATING THE INSTITUTION OF AERONAUTICAL ENGINEERS, THE HELICOPTER ASSOCIATION OF GREAT BRITAIN AND THE SOCIETY OF LICENSED AIRCRAFT ENGINEERS AND TECHNOLOGISTS

VOLUME XCVII

JANUARY–DECEMBER 1993

SUBJECT INDEX

AERODYNAMICS

An aerodynamic model for flapping-wing flight, J.D. DeLaurier, pp 125–130 (Apr.).

A summary of further measurements of steady and oscillatory pressures on a rectangular wing, D.G. Mabey, B.L. Welsh and C.R. Pyne, pp 195–207 (Jun./Jul.).

Experiments on a 60° delta wing with vortex flaps and vortex plates, K. Rinole, pp 33–38 (Jan.).

Incompressible flow in contracting ducts, J.C. Gibbings, pp 230–246 (Aug./Sept.).

The 33rd Lanchester Lecture. Automobile aerodynamics — the effects of airflow on road, racing and record breaking cars, J.L. Stollery, pp 307–313 (Nov.).

Wall jets created by single and twin high pressure jet impingement, P. Miller and M. Wilson, pp 87–100 (Mar.).

Technical Note: Optimisation of constant altitude–constant airspeed flight for piston prop aircraft, S.J. Ojha, pp 145–148 (Apr.)

AEROFOILS

Engineering Note: The use of colour graphics to show streamlines in two–dimensional flow, S.J. Newman, pp 296–297 (Oct.).

BOOK REVIEWS — BY AUTHOR

Blakelock, J.H. Automatic Control of Aircraft and Missiles — Second edition, p 39 (Jan.).

Bray, D.E. and McBride, D. (Eds), Nondestructive Testing Techniques, p 39 (Jan.).

Case, J. *et al* Strength of Materials and Structures: with an Introduction to Finite Element Methods — Third edition, p 261 (Aug./Sept.).

Chobotov, V. A. Spacecraft Attitude Dynamics and Control, p 121 (Mar.).

Desrochers, A.A. (Ed) Intelligent Robotic Systems for Space Exploration, p 179 (May).

Donaldson, B.K. Anaylsis of Aircraft Structures: an Introduction, p 298 (Oct.).

Dimarogonas, A.D. and Haddad, S. Vibration for Engineers, p 150 (Apr.).

Frashad, M. Design and Anaylsis of Shell Structures, p 218 (Jun./Jul.).

Gatski, T. *et al* (Eds) Studies of Turbulence: dedicated to John L. Lumley on the occasion of his sixtieth birthday, p 179 (May).

Griffen, N.D. and French, J.R. Space Vehicle Design, p 149 (Apr.).

Hill, P. and Peterson, C. Mechanics and Thermodynamics of Propulsion — Second edition, p 371 (Dec.).

Houghton, E.L. and Carpenter, P.W. Aerodynamics for Engineering Students — Fourth edition, p 371 (Dec.).

Kingsley, S. and Quegan, S. Understanding Radar Systems, p 179 (May).

Knacke, T.W. Parachute Recovery Systems Design Manual, p 372 (Dec.).

Kuo, C. Business Fundamentals for Engineers, p 121 (Mar.).

MacFadzean, R.H.M. Surface-Based Air Defence System Anaylsis, p 81 (Feb.).

Malyshev, V.V. *et al* Optimisation of Observation and Control Processes, p 81 (Feb.).

Murthy, T.K.S. Computational Methods in Hypersonic Aerodynamics, p 260 (Aug./Sept.).

Murthy, S.N.B. and Curran, E.T. High-Speed Flight Propulsion Systems, p 260 (Aug./Sept.).

Pnueli, D. and Gutfinger, G. Fluid Mechanics, p 298 (Oct.).

Rogers, D.F. Laminar Flow Analysis, p 219 (Jun./Jul.).

Simon, H.D. (Ed) Parallel Computation Fluid Dynamics: Implementations and Results, p 298 (Oct.).

Thornton, E.A. Thermal Structures and Materials for High Speed Flight, p 121 (Mar.).

Wendt, J.F. (Ed) Computational Fluid Dynamics — An Introduction, p 39 (Jan.).

Xu, Y. and Kanade, T. (Eds) Space Robotics, p 218 (Jun./Jul.).

BOOK REVIEWS — BY TITLE

Aerodynamics for Engineering Students — Fourth edition, E.L. Houghton and P.W. Carpenter, p 371 (Dec.).

Analysis of Aircraft Structures: an Introduction, B.K. Donaldson, p 298 (Oct.).

Automatic Control of Aircraft and Missiles — Second edition, J.H. Blakelock, p 39 (Jan.).

Business Fundamentals for Engineers, C. Kuo, p 121 (Mar.).

Computational Fluid Dynamics — An Introduction, J.F. Wendt (Ed), p 39 (Jan.).

Computational Methods in Hypersonic Aerodynamics, T.K.S Murthy, p 260 (Aug./Sept.).

Design and Analysis of Shell Structures, M. Frashad, p 218 (Jun./Jul.).

Fluid Mechanics, D. Pnueli and G. Gutfinger, p 298 (Oct.).

High-Speed Flight Propulsion Systems, S.N.B. Murthy and E.T. Curran (Eds), p 260 (Aug./Sept.).

Intelligent Robotic Systems for Space Exploration, A.A. Desrochers (Ed), p 179 (May).

The Aeronautical Journal of the Royal Aeronautical Society

INCORPORATING THE INSTITUTION OF AERONAUTICAL ENGINEERS, THE HELICOPTER ASSOCIATION OF GREAT BRITAIN AND THE SOCIETY OF LICENSED AIRCRAFT ENGINEERS AND TECHNOLOGISTS

VOLUME XCVII

JANUARY–DECEMBER 1993

SUBJECT INDEX

AERODYNAMICS

An aerodynamic model for flapping-wing flight, J.D. DeLaurier, pp 125–130 (Apr.).

A summary of further measurements of steady and oscillatory pressures on a rectangular wing, D.G. Mabey, B.L. Welsh and C.R. Pyne, pp 195–207 (Jun./Jul.).

Experiments on a 60° delta wing with vortex flaps and vortex plates, K. Rinole, pp 33–38 (Jan.).

Incompressible flow in contracting ducts, J.C. Gibbings, pp 230–246 (Aug./Sept.).

The 33rd Lanchester Lecture. Automobile aerodynamics — the effects of airflow on road, racing and record breaking cars, J.L. Stollery, pp 307–313 (Nov.).

Wall jets created by single and twin high pressure jet impingement, P. Miller and M. Wilson, pp 87–100 (Mar.).

Technical Note: Optimisation of constant altitude–constant airspeed flight for piston prop aircraft, S.J. Ojha, pp 145–148 (Apr.)

AEROFOILS

Engineering Note: The use of colour graphics to show streamlines in two–dimensional flow, S.J. Newman, pp 296–297 (Oct.).

BOOK REVIEWS — BY AUTHOR

Blakelock, J.H. Automatic Control of Aircraft and Missiles — Second edition, p 39 (Jan.).

Bray, D.E. and McBride, D. (Eds), Nondestructive Testing Techniques, p 39 (Jan.).

Case, J. *et al* Strength of Materials and Structures: with an Introduction to Finite Element Methods — Third edition, p 261 (Aug./Sept.).

Chobotov, V. A. Spacecraft Attitude Dynamics and Control, p 121 (Mar.).

Desrochers, A.A. (Ed) Intelligent Robotic Systems for Space Exploration, p 179 (May).

Donaldson, B.K. Anaylsis of Aircraft Structures: an Introduction, p 298 (Oct.).

Dimarogonas, A.D. and Haddad, S. Vibration for Engineers, p 150 (Apr.).

Frashad, M. Design and Anaylsis of Shell Structures, p 218 (Jun./Jul.).

Gatski, T. *et al* (Eds) Studies of Turbulence: dedicated to John L. Lumley on the occasion of his sixtieth birthday, p 179 (May).

Griffen, N.D. and French, J.R. Space Vehicle Design, p 149 (Apr.).

Hill, P. and Peterson, C. Mechanics and Thermodynamics of Propulsion — Second edition, p 371 (Dec.).

Houghton, E.L. and Carpenter, P.W. Aerodynamics for Engineering Students — Fourth edition, p 371 (Dec.).

Kingsley, S. and Quegan, S. Understanding Radar Systems, p 179 (May).

Knacke, T.W. Parachute Recovery Systems Design Manual, p 372 (Dec.).

Kuo, C. Business Fundamentals for Engineers, p 121 (Mar.).

MacFadzean, R.H.M. Surface-Based Air Defence System Anaylsis, p 81 (Feb.).

Malyshev, V.V. *et al* Optimisation of Observation and Control Processes, p 81 (Feb.).

Murthy, T.K.S. Computational Methods in Hypersonic Aerodynamics, p 260 (Aug./Sept.).

Murthy, S.N.B. and Curran, E.T. High-Speed Flight Propulsion Systems, p 260 (Aug./Sept.).

Pnueli, D. and Gutfinger, G. Fluid Mechanics, p 298 (Oct.).

Rogers, D.F. Laminar Flow Analysis, p 219 (Jun./Jul.).

Simon, H.D. (Ed) Parallel Computation Fluid Dynamics: Implementations and Results, p 298 (Oct.).

Thornton, E.A. Thermal Structures and Materials for High Speed Flight, p 121 (Mar.).

Wendt, J.F. (Ed) Computational Fluid Dynamics — An Introduction, p 39 (Jan.).

Xu, Y. and Kanade, T. (Eds) Space Robotics, p 218 (Jun./Jul.).

BOOK REVIEWS — BY TITLE

Aerodynamics for Engineering Students — Fourth edition, E.L. Houghton and P.W. Carpenter, p 371 (Dec.).

Analysis of Aircraft Structures: an Introduction, B.K. Donaldson, p 298 (Oct.).

Automatic Control of Aircraft and Missiles — Second edition, J.H. Blakelock, p 39 (Jan.).

Business Fundamentals for Engineers, C. Kuo, p 121 (Mar.).

Computational Fluid Dynamics — An Introduction, J.F. Wendt (Ed), p 39 (Jan.).

Computational Methods in Hypersonic Aerodynamics, T.K.S Murthy, p 260 (Aug./Sept.).

Design and Analysis of Shell Structures, M. Frashad, p 218 (Jun./Jul.).

Fluid Mechanics, D. Pnueli and G. Gutfinger, p 298 (Oct.).

High-Speed Flight Propulsion Systems, S.N.B. Murthy and E.T. Curran (Eds), p 260 (Aug./Sept.).

Intelligent Robotic Systems for Space Exploration, A.A. Desrochers (Ed), p 179 (May).

Laminar Flow Analysis, D.F. Rogers, p 219 (Jun./Jul.).

Mechanics and Thermodynamics of Propulsion — Second edition, P. Hill and C. Peterson, p 371 (Dec.).

Nondestructive Testing Techniques, D.E. Bray and D. McBride (Eds), p 39 (Jan.).

Optimisation of Observation and Control Processes, V.V. Malyshev *et al*, p 81 (Feb.).

Parachute Recovery Systems Design Manual, T.W. Knacke, p 372 (Dec.).

Parallel Computation Fluid Dynamics: Implementations and Results, H.D. Simon (Ed), p 298 (Oct.).

Spacecraft Attitude Dynamics and Control, V. A. Chobotov, p 121 (Mar.).

Space Robotics, Y. Xu and T. Kanade (Eds), p 218 (Jun./Jul.).

Space Vehicle Design, N.D. Griffen and J.R. French, p 149 (Apr.).

Strength of Materials and Structures: with an Introduction to Finite Element Methods — Third edition, J. Case *et al*, p 261 (Aug./Sept.).

Studies of Turbulence: dedicated to John L. Lumley on the occasion of his sixtieth birthday, T. Gatski *et al* (Eds), p 179 (May).

Surface-Based Air Defence System Anaylsis, R.H.M. MacFadzean, p 81 (Feb.).

Thermal Structures and Materials for High Speed Flight, E.A. Thornton, p 121 (Mar.).

Understanding Radar Systems, S. Kingsley and S. Quegan, p 179 (May).

Vibration for Engineers, A.D. Dimarogonas and S. Haddad, p 150 (Apr.).

BOUNDARY LAYERS

A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, pp 25–32 (Jan.).

An experimental study of the interaction of an unsteady shock with turbulent boundary layer at Mach numbers of 1·3 and 1·5, J.A. Edwards and L.C. Squire, pp 337–348 (Dec.).

Computational modelling of shock wave/boundary layer interaction with a cell-vertex scheme and transport models of turbulence, M.A. Leschziner, K.P. Dimitriadis and G. Page, pp 43–61 (Feb.).

Transonic shockwave/turbulent boundary layer interactions on a porous surface, N. Chokani and L.C. Squire, pp 163–170 (May).

BUCKLING AND INSTABILITY OF STRUCTURES

Orthotropic behaviour of shells and stability of uniaxially compressed cylinders, M.S. Hanna and A.W. Beshara, pp 111–117 (Mar.).

CANARDS

An equation decoupling technique for identification of unstable aircraft with unsteady aerodynamic modelling, J. Singh and S.C. Raisinghani, pp 321–327 (Nov.).

COMPUTATIONAL FLUID DYNAMICS

An equation decoupling technique for identification of unstable aircraft with unsteady aerodynamic modelling, J. Singh and S.C. Raisinghani, pp 321–327 (Nov.).

A vortex lattice method for thin wings oscillating in ideal flow, M.K. Laha, pp 314–320 (Nov.).

Computational modelling of shock wave/boundary layer interaction with a cell-vertex scheme and transport models of turbulence, M.A. Leschziner, K.P. Dimitriadis and G. Page, pp 43–61 (Feb.).

Self adaptive mesh refinement for the computation of steady, compressible, viscous flows, J. Fischer, pp 357–368 (Dec.).

The solution of the Navier-Stokes equations for two-dimensional compressible flows using a simple second order accurate algorithm, K.P. Sinhamahapatra, pp 131–137 (Apr.).

CONTROL SYSTEMS

Stability augmentation of a sailplane in towed flight, G. de Matteis and W. Tamilia, pp 349–358 (Dec.).

DESIGN AND DEVELOPMENT

An aerodynamic model for flapping-wing flight, J.D. DeLaurier, pp 125–130 (Apr.).

A study of mechanical flapping-wing flight, J.D. DeLaurier and J.M. Harris, pp 277–286 (Oct.).

Integration of high bypass ratio engines on modern transonic wings for regional aircraft, E. Greff, K. Becker, M. Karwin and S. Rill, pp 1–13 (Jan.).

Machinery arrangements for Vtol transport aircraft, D.C. MacPhail, A.S. Jackson and E.S. Moore, pp 101–110, (Mar.).

The contributions of Power Jets Ltd to jet propulsion, G.B.R. Feilden, pp 62–72 (Feb.).

The development of an efficient ornithopter wing, J.D. DeLaurier, pp 153–162 (May).

DRAG

Cavity drag at transonic speeds, L.C. Squire and S.H. Nasser, pp 247–256 (Aug./Sept.).

Technical Note: Optimisation of constant altitude–constant airspeed flight for piston prop aircraft, S.J. Ojha, pp 145–148 (Apr.)

ENGINE–AIRFRAME INTEGRATION

Integration of high bypass ratio engines on modern transonic wings for regional aircraft, E. Greff, K. Becker, M. Karwin and S. Rill, pp 1–13 (Jan.).

Machinery arrangements for Vtol transport aircraft, D.C. MacPhail, A.S. Jackson and E.S. Moore, pp 101–110 (Mar.).

Technical Note: Optimisation of constant altitude–constant airspeed flight for piston prop aircraft, S.J. Ojha, pp 145–148 (Apr.)

FINITE ELEMENTS

Stress concentration factors in countersunk holes, J.B. Young and K.K. Lee, pp 267–276 (Oct.).

FLIGHT OPERATIONS

An economic puzzle for airline management — how to recover mandatory investments, J.M. Mariani, pp 368–370 (Dec.).

FLUID DYNAMICS: FLOW

A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, pp 25–32 (Jan.).

Erratum: A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, p 208 (Jun./Jul.).

Experimental study of overexpanded supersonic jet impingement on a double wedge deflector, J.K. Prasad, R.C. Mehta and A.K. Seekanth, pp 209–214 (Jun./Jul.).

Further study of high speed single free jets, G.H. Moustafa, pp 171–176 (May).

Gas jets in an arbitrary stream, R.M.C. So and H. Aksoy, pp 287–295 (Oct.).

Incompressible flow in contracting ducts, J.C. Gibbings, pp 230–246 (Aug./Sept.).

Self adaptive mesh refinement for the computation of steady, compressible, viscous flows, J. Fischer, pp 357–368 (Dec.).

The solution of the Navier–Stokes equations for two–dimensional compressible flows using a simple second order accurate algorithm, K.P. Sinhamahapatra, pp 131–137 (Apr.).

Wall jets created by single and twin high pressure jet impingement, P. Miller and M. Wilson, pp 87–100 (Mar.).

Engineering Note: The use of colour graphics to show streamlines in two dimensional flow, S.J. Newman, pp 296–297 (Oct.).

FLUTTER

A summary of further measurements of steady and oscillatory pressures on a rectangular wing, D.G. Mabey, B.L. Welsh and C.R. Pyne, pp 195–207 (Jun./Jul.).

A vortex lattice method for thin wings oscillating in ideal flow, M.K. Laha, pp 314–320 (Nov.).

An equation decoupling technique for identification of unstable aircraft with unsteady aerodynamic modelling, J. Singh and S.C. Raisinghani, pp 321–327 (Nov.).

Stability augmentation of a sailplane in towed flight, G. de Matteis and W. Tamilia, pp 349–358 (Dec.).

HEAT TRANSFER

Technical Note: The use of a Flame Ionisation Detector for mass fraction measurement in short duration windtunnels, I.N.R. Bowman and J.A. Edwards, pp 215–217 (Jun./Jul.).

HISTORICAL

The contributions of Power Jets Ltd to jet propulsion, G.B.R. Feilden, pp 62–72 (Feb.).

HYPERSONICS

Technical Note: The use of a Flame Ionisation Detector for mass fraction measurement in short duration windtunnels, I.N.R. Bowman and J.A. Edwards, pp 215–217 (Jun./Jul.).

JETS

Experimental study of overexpanded supersonic jet impingement on a double wedge deflector, J.K. Prasad, R.C. Mehta and A.K. Seekanth, pp 209–214 (Jun./Jul.).

Further study of high speed single free jets, G.H. Moustafa, pp 171–176 (May).

Gas jets in an arbitrary stream, R.M.C. So and H. Aksoy, pp 287–295 (Oct.).

Wall jets created by single and twin high pressure jet impingement, P. Miller and M. Wilson, pp 87–100, (Mar.).

LOGISTICS

The 11th Sir Sydney Camm Lecture. Supporting the Royal Air Force — the challenge for Logistics Command approaching the 21st century, R.J.M. Alcock, pp 223–229 (Aug./Sept.).

NACELLES

Integration of high bypass ratio engines on modern transonic wings for regional aircraft, E. Greff, K. Becker, M. Karwin and S. Rill, pp 1–13 (Jan.).

NAVIER–STOKES

The solution of the Navier–Stokes equations for two-dimensional compressible flows using a simple second order accurate algorithm, K.P. Sinhamahapatra, pp 131–137 (Apr.).

NAVIGATION SYSTEMS

Automatic navigation in the air and at sea, S.G. Smith, pp 183–194 (Jun./Jul.).

ORNITHOPTERS

An aerodynamic model for flapping-wing flight, J.D. DeLaurier, pp 125–130 (Apr.).

A study of mechanical flapping-wing flight, J.D. DeLaurier and J.M. Harris, pp 277–286 (Oct.).

The development of an efficient ornithopter wing, J.D. DeLaurier, pp 153–162 (May).

PHOTOGRAPHS

Aircraft

The E28/39 during taxying trials, p 65 (Feb.).
The E28/39 after first flight, p 66 (Feb.).
Bell XP–59A Airacomet, p 66 (Feb.).
Meteor in flight, p 67 (Feb.).
Tornado F.3s deployed to Dhahran within three days of go-ahead, p 224 (Aug./Sept.).
Hercules wing tip damage after a ground collision with a Puma, p 225 (Aug./Sept.).
The same Hercules wing tip after a battle damage repair, p 225 (Aug./Sept.).
An RAF deployment; a TriStar leads four Tornado F.3s, p 229 (Aug./Sept.).

Automobiles

The Gold Medal Phaeton, 1898, Lanchester driving his brother, George, nearest the camera, p 307 (Nov.).
Thrust II at Black Rock Desert, 1983, p 313 (Nov.).

Engines

First build of the Whittle WU engine, on test in the BTH works, Rugby, p 63 (Feb.).
Third build of experimental engine, on test at Ladywood Works, Lutterworth, p 63 (Feb.).
W1 flight engine on the stand at the Ladywood Works, p 64 (Feb.).
Power jets W2/700 engine, p 68 (Feb.).
The Rolls-Royce Derwent V, p 68 (Feb.).

Historical

The Sir Sydney Camm legacy, p 223, (Aug./Sept.).

Large components

Early combustion chamber test rig, p 64 (Feb.).
Rotor of the Power Jets W2/700 engine, p 67 (Feb.).

Operations

The sea ice airstrip at Cape Dyer, Baffin Island, p 102 (Mar.).
Winding road to airstrip, eastern Artic Canada, p 102 (Mar.).
Icestrip operation, eastern Artic, p 102 (Mar.).
Break-up chaos at Hall Beach in July, p 102 (Mar.).
Logging scene, Mt Sir Francis Drake, Bute Inlet, British Columbia, p 103 (Mar.).

Ornithopters

"Tim Bird" rubber powered model ornithopter, p 277 (Oct.).
Ornithopter in flight, 4 September 1991, p 284 (Oct.).

Test results

The forebody primary vortices in symmetric ($\alpha = 20°$) and asymmetric ($\alpha = 30°$) conditions, p 78 (Feb.).
The interaction of the strake vortex with the lifting surface ($\alpha = 10°$) at $x/l = 0{\cdot}66$, p 79 (Feb.).
Interferogram of flow with and without, passive control. (a) Back pressure I without passive control. (b) Back pressure I with passive control. (c) Back pressure II without passive control. (d) Back pressure II with passive control. (e) Back pressure III without passive control. (f) Back pressure III with passive control, pp 166–167 (May).
Schlieren flowfield photograph, $Z_c/D = 2$, p 211 (Jun./Jul.).
Schlieren flowfield photograph, $Z_c/D = 3$, p 211 (Jun./Jul.).
Schlieren flowfield photograph, $Z_c/D = 4$, p 212 (Jun./Jul.).
Schlieren flowfield photograph, $Z_c/D = 5$, p 212 (Jun./Jul.).
Schlieren photograph, M = 1·53, Helium injection, $I = 0{\cdot}0088$, p 217 (Jun./Jul.).
Typical schlieren photographs, p 251 (Aug./Sept.).
Blunt faced cylinder, $C_D = 0{\cdot}75$, p 308 (Nov.).
$d_1/d_2 = 0{\cdot}75$, $g/d_2 = 0{\cdot}25$, $C_D = 0{\cdot}03$, p 308 (Nov.).

Testbeds

Wing fan on the test bed, p 104 (Mar.).

Windtunnel equipment

Windtunnel set-up, p 215 (Jun./Jul.).
Photograph of cams, p 339 (Dec.)

Windtunnel models

Windtunnel arrangement of three lift engine models in close line astern, p 104 (Mar.).
Vectoring exhaust 15 in fan model in windtunnel, p 106 (Mar.).
Ornithopter wing in windtunnel, p 160 (May).

PROPULSION

Machinery arrangements for Vtol transport aircraft, D.C. MacPhail, A.S. Jackson and E.S. Moore, pp 101–110, (Mar.).

The contributions of Power Jets Ltd to jet propulsion, G.B.R. Feilden, pp 62–72 (Feb.).

Technical Note: Fuel consumption formulae and the general range equation, C.L. Bore, pp 118–120 (Mar.).

Technical Note: Non isentropic duct flow and the general drag wake traverse, C.L. Bore, pp 177–178 (May).

Technical Note: Optimisation of constant altitude-constant airspeed flight for piston prop aircraft, S.J. Ojha, pp 145–148 (Apr.)

Technical Note: Propulsion streamtubes in supersonic flow and supercritical intake cowl, C.L. Bore, pp 257–259 (Aug./Sept.).

Technical Note: Rotary jet thrust augmentors — the fallacy of Foa's theory and the jet fan augmentor, C.L. Bore, pp 328–331 (Nov.).

Technical Note: The Stream Force Theorem and applications to propulsion, C.L. Bore, pp 138–144 (Apr.).

ROAD VECHICLES

The 33rd Lanchester Lecture. Automobile aerodynamics — the effects of airflow on road, racing and record breaking cars, J.L. Stollery, pp 307–313 (Nov.).

ROTORCRAFT

A generic helicopter rotor model for helicopter flight simulation, M. Chaimovich, A. Rosen and O. Rand, pp 14–24 (Jan.).

ROYAL AERONAUTICAL SOCIETY LECTURES

Automatic navigation in the air and at sea, S.G. Smith, pp 183–194 (Jun./Jul.).

The 11th Sir Sydney Camm Lecture. Supporting the Royal Air Force — the challenge for Logistics Command approaching the 21st century, R.J.M. Alcock, pp 223–229 (Aug./Sept.).

The 33rd Lanchester Lecture. Automobile aerodynamics — the effects of airflow on road, racing and record breaking cars, J.L. Stollery, pp 307–313 (Nov.).

The contributions of Power Jets Ltd to jet propulsion, G.B.R. Feilden, pp 62–72 (Feb.).

Technical Note: Fuel consumption formulae and the general range equation, C.L. Bore, pp 118–120 (Mar.).

Technical Note: Non isentropic duct flow and the general drag wake traverse, C.L. Bore, pp 177–178 (May).

Technical Note: Propulsion streamtubes in supersonic flow and supercritical intake cowl, C.L. Bore, pp 257–259 (Aug./Sept.).

Technical Note: Rotary jet thrust augmentors — the fallacy of Foa's theory and the jet fan augmentor, C.L. Bore, pp 328–331 (Nov.).

Technical Note: The Stream Force Theorem and applications to propulsion, C.L. Bore, pp 138–144 (Apr.).

ROYAL AERONAUTICAL SOCIETY SYMPOSIA

An economic puzzle for airline management — how to recover mandatory investments, J.M. Mariani, pp 368–370 (Dec.).

SHOCK WAVE–BOUNDARY LAYER INTERACTION

An experimental study of the interaction of an unsteady shock with turbulent boundary layer at Mach numbers of 1·3 and 1·5, J.A. Edwards and L.C. Squire, pp 337–348 (Dec.).

Computational modelling of shock wave/boundary layer interaction with a cell-vertex scheme and transport models of turbulence, M.A. Leschziner, K.P. Dimitriadis and G. Page, pp 43–61 (Feb.).

Transonic shockwave/turbulent boundary layer interactions on a porous surface, N. Chokani and L.C. Squire, pp 163–170 (May).

SIMULATION

A generic helicopter rotor model for helicopter flight simulation, M.Chaimovich, A. Rosen and O. Rand, pp 14–24 (Jan.).

STABILITY AND CONTROL

Stability augmentation of a sailplane in towed flight, G. de Matteis and W. Tamilia, pp 349–358 (Dec.).

STRUCTURES AND STRUCTURAL DESIGN

Orthotropic behaviour of shells and stability of uniaxially compressed cylinders, M.S. Hanna and A.W. Beshara, pp 111–117 (Mar.).

Stress concentration factors in countersunk holes, J.B. Young and K.K. Lee, pp 267–276 (Oct.).

SUPERSONIC FLOW

An experimental study of the interaction of an unsteady shock with turbulent boundary layer at Mach numbers of 1·3 and 1·5, J.A. Edwards and L.C. Squire, pp 337–348 (Dec.).

Experimental study of overexpanded supersonic jet impingement on a double wedge deflector, J.K. Prasad, R.C. Metha and A.K. Seekanth, pp 209–214 (Jun./Jul.).

TESTING

A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, pp 25–32 (Jan.).

Erratum: A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, p 208 (Jun./Jul.).

A summary of further measurements of steady and oscillatory pressures on a rectangular wing, D.G. Mabey, B.L. Welsh and C.R. Pyne, pp 195–207 (Jun./Jul.).

Technical Note: The use of a Flame Ionisation Detector for mass fraction measurement in short duration windtunnels, I.N.R. Bowman and J.A. Edwards, pp 215–217 (Jun./Jul.).

TRANSONIC FLOW

Cavity drag at transonic speeds, L.C. Squire and S.H. Nasser, pp 247–256 (Aug./Sept.).

Computational modelling of shock wave/boundary layer interaction with a cell-vertex scheme and transport models of turbulence, M.A. Leschziner, K.P. Dimitriadis and G. Page, pp 43–61 (Feb.).

Transonic shockwave/turbulent boundary layer interactions on a porous surface, N. Chokani and L.C. Squire, pp 163–170 (May).

Self adaptive mesh refinement for the computation of steady, compressible, viscous flows, J. Fischer, pp 357–368 (Dec.).

TURBULENCE

A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, pp 25–32 (Jan.).

Erratum: A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, p 208 (Jun./Jul.).

VORTICES

Experiments on a 60° delta wing with vortex flaps and vortex plates, K. Rinole, pp 33–38 (Jan.).

WINDTUNNELS

A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, pp 25–32 (Jan.).

Erratum: A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, P.V. Storm and B.G. Newman, p 208 (Jun./Jul.).

Incompressible flow in contracting ducts, J.C. Gibbings, pp 230–246 (Aug./Sept.).

Technical Note: The use of a Flame Ionisation Detector for mass fraction measurement in short duration windtunnels, I.N.R. Bowman and J.A. Edwards, pp 215–217 (Jun./Jul.).

WINGS

An aerodynamic model for flapping-wing flight, J.D. DeLaurier, pp 125–130 (Apr.).

A study of mechanical flapping-wing flight, J.D. DeLaurier and J.M. Harris, pp 277–286 (Oct.).

The development of an efficient ornithopter wing, J.D. DeLaurier, pp 153–162 (May).

AUTHOR INDEX

AKSOY, H. and SO, R.M.C.
Gas jets in an arbitrary stream, pp 287–295 (Oct.).

ALCOCK, R.J.M.
The 11th Sir Sydney Camm Lecture. Supporting the Royal Air Force — the challenge for Logistics Command approaching the 21st century, pp 223–229 (Aug./Sept.).

BECKER, K., GREFF, E., KARWIN, M. and RILL, S.
Integration of high bypass ratio engines on modern transonic wings for regional aircraft, pp 1–13 (Jan.).

BESHARA, A.W. and HANNA, M.S.
Orthotropic behaviour of shells and stability of uniaxially compressed cylinders, pp 111–117 (Mar.).

BOWMAN, I.N.R. and EDWARDS, J.A.
Technical Note: The use of a Flame Ionisation Detector for mass fraction measurement in short duration windtunnels, pp 215–217 (Jun./Jul.).

BORE, C.L.
Technical Note: Fuel consumption formulae and the general range equation, pp 118–120 (Mar.).

Technical Note: The Stream Force Theorem and applications to propulsion, pp 138– 144 (Apr.).

Technical Note: Non isentropic duct flow and the general drag wake traverse, pp 177–178 (May).

Technical Note: Propulsion streamtubes in supersonic flow and supercritical intake cowl, pp 257–259 (Aug./Sept.).

Technical Note: Rotary jet thrust augmentors — the fallacy of Foa's theory and the jet fan augmentor, pp 328–331 (Nov.).

CHAIMOVICH, M., ROSEN, A. and RAND, O.
A generic helicopter rotor model for helicopter flight simulation, pp 14–24 (Jan.).

CHOKANI, N. and SQUIRE, L.C.
Transonic shockwave/turbulent boundary layer interactions on a porous surface, pp 163–170 (May).

DELAURIER, J.D.
An aerodynamic model for flapping-wing flight, pp 125–130 (Apr.).

The development of an efficient ornithopter wing, pp 153–162 (May).

DELAURIER, J.D. AND HARRIS, J.M.
A study of mechanical flapping-wing flight, pp 277–286 (Oct.).

DE MATTEIS, G. and TAMILIA, W.
Stability augmentation of a sailplane in towed flight, pp 349–358 (Dec.).

DIMITRIADIS, K.P., LESCHZINER, M.A. and PAGE, G.
Computational modelling of shock wave/boundary layer interaction with a cell-vertex scheme and transport models of turbulence, pp 43–61 (Feb.).

EDWARDS, J.A. and BOWMAN, I.N.R.
Technical Note: The use of a Flame Ionisation Detector for mass fraction measurement in short duration windtunnels, pp 215–217 (Jun./Jul.).

EDWARDS, J.A. and SQUIRE, L.C.
An experimental study of the interaction of an unsteady shock with turbulent boundary layer at Mach numbers of 1.3 and 1.5, pp 337–348 (Dec.).

FEILDEN, G.B.R.
The contributions of Power Jets Ltd to jet propulsion, pp 62–72 (Feb.).

FISCHER, J.
Self adaptive mesh refinement for the computation of steady, compressible, viscous flows, pp 357–368 (Dec.).

GIBBINGS, J.C.
Incompressible flow in contracting ducts, pp 230–246 (Aug./Sept.).

GREFF, E., BECKER, K., KARWIN, M. AND RILL, S.
Integration of high bypass ratio engines on modern transonic wings for regional aircraft, pp 1–13 (Jan.).

GUGLIERI, G. and QUAGLIOTTI, F.
Windtunnel experimental investigation of a high performance aircraft model, pp 73–80 (Feb.).

HANNA, M.S. and BESHARA, A.W.
Orthotropic behaviour of shells and stability of uniaxially compressed cylinders, pp 111–117 (Mar.).

HARRIS, J.M. and DELAURIER, J.D.
A study of mechanical flapping–wing flight, pp 277–286 (Oct.).

JACKSON, A.S., MACPHAIL, D.C. and MOORE, E.S.
Machinery arrangements for Vtol transport aircraft, pp 101–110, (Mar.).

KARWIN, M., GREFF, E., BECKER, K. and RILL, S.
Integration of high bypass ratio engines on modern transonic wings for regional aircraft, pp 1–13 (Jan.).

LAHA, M.K.
A vortex lattice method for thin wings oscillating in ideal flow, pp 314–320 (Nov.).

LEE, K.K. and YOUNG, J.B.
Stress concentration factors in countersunk holes, pp 267–276 (Oct.).

LESCHZINER, M.A., DIMITRIADIS, K.P. and PAGE, G.
Computational modelling of shock wave/boundary layer interaction with a cell–vertex scheme and transport models of turbulence, pp 43–61 (Feb.).

MABEY, D.G., WELSH, B.L. and PYNE, C.R.
A summary of further measurements of steady and oscillatory pressures on a rectangular wing, pp 195–207 (Jun./Jul.).

MACPHAIL, D.C., JACKSON, A.S. and MOORE, E.S.
Machinery arrangements for Vtol transport aircraft, pp 101–110, (Mar.).

MARIANI, J.M.
An economic puzzle for airline management — how to recover mandatory investments, pp 368–370 (Dec.).

MEHTA, R.C., PRASAD, J.K. and SEEKANTH, A.K.
Experimental study of overexpanded supersonic jet impingement on a double wedge deflector, pp 209–214 (Jun./Jul.).

MILLER, P. and WILSON, M.
Wall jets created by single and twin high pressure jet impingement, pp 87–100, (Mar.).

MOORE, E.S., MACPHAIL, D.C. and JACKSON, A.S.
Machinery arrangements for Vtol transport aircraft, pp 101–110, (Mar.).

MOUSTAFA, G.H.
Further study of high speed single free jets, pp 171–176 (May).

NASSER, S.H. and SQUIRE L.C.
Cavity drag at transonic speeds, pp 247–256 (Aug./Sept.).

NEWMAN, B.G. and STORM, P.V.
A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, pp 25–32 (Jan.).

Erratum: A pressure instrument to measure skin friction in turbulent boundary layers on smooth and non-smooth walls, p 208 (Jun./Jul.).

NEWMAN, S.J.
Engineering Note: The use of colour graphics to show streamlines in two dimensional flow, pp 296–297 (Oct.).